



The Soap Kitchen
Unit E Swinton Bridge Industrial Estate
Whitelee Road
Swinton
South Yorkshire
S64 8BH
Telephone : 01237 420 872
enquiries@thesoapkitchen.co.uk

CERTIFICATE OF ANALYSIS

PRODUCT NAME: Rosemary Extract, Antioxidant

Product Name:	Rosemary Extract Antioxidant		
Customer:	The Soap Kitchen	Customer Ref:	-
Date:	25/11/2022	Batch no:	43758-05

Analytical Test	Specification	Result
Appearance	Very viscous liquid / semi solid: amber to dark yellow-brown.	Conforms
Odour	Slight – typical.	Conforms
Specific Gravity @ 20°C (g/ml)	0.870 – 0.980	0.915
Water content (%)	≤ 3.0	Conforms
Residual solvent Content (ppm)	≤ 25.0	Conforms
Carnosic Acid Content (%)	6.0 – 6.5	6.1
Total Plate Count (cfu/g)	< 1000	Conforms
Yeasts and moulds (cfu/g)	< 100	Conforms
Packing Date:		11 / 2022
Recommended re-test date:		11 / 2024
Commercial Expiry date:		11 / 2025

Storage	Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals
---------	---