



Supplies for Candles Ltd
Unit E Swinton Bridge Industrial Estate
Whitelee Road
Swinton
South Yorkshire
S64 8BH
UK
Telephone: 01709 257151
customerservice@suppliesforcandles.co.uk

CERTIFICATE OF ANALYSIS

PRODUCT NAME & SKU: Citronella Essential Oil ESS0004

Product Name:	Citronella Oil		
Customer:	Soap Supplier	Customer Ref:	
Date:	16/05/2024	Batch no:	47276-02

Analytical Test	Specification	Result
Appearance	Clear liquid, pale yellow to brownish yellow.	Conforms
Odour	Characteristic - reminiscent of citronellal.	Conforms
Specific Gravity @ 20°C (g/ml)	0.850 - 0.950	0.878
Refractive Index @ 20°C	1.450 - 1.490	1.465
Optical Rotation @ 20°C (Degrees)	-9.0 to +18.0	-4.32
Packing Date:		05 / 2024
Recommended re-test date:		05 / 2026
Commercial Expiry date:		05 / 2027

Storage	Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals
---------	---