

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 11/10/2016

Revision date:

Supersedes:

Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
Trade name : FRAG0146 - Tropical Fragrance Oil
Product code : 27954F
Type of product : Perfumes, Fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Perfumes, Fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category H302

4

Serious eye damage/eye H319

irritation Category 2

Skin sensitization Category 1 H317

Hazardous to the aquatic H411

environment - Chronic Hazard

Category 2

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]



Hazard pictograms (CLP)

:

GHS07

GHS09

Signal word (CLP)

: Warning

Hazardous ingredients

: Citral pure; Citronellol pure; Triplal (Vertocitral); Methyl cinnamate; Geraniol; delta-Damascone; Dipentene; Aldehyde C-16; Benzyl benzoate

Hazard statements (CLP)

: H302 - Harmful if swallowed
H317 - May cause an allergic skin reaction

11/10/2016

EN (English US)

1/12

H319 - Causes serious eye irritation
H411 - Toxic to aquatic life with long lasting effects

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P272 - Contaminated work clothing should not be allowed out of the workplace
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS No) 120-51-4 (EC no) 204-402-9 (EC index no) 607-085-00-9	10 - 40	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Oxyphelylon (Raspberry ketone) crystals	(CAS No) 5471-51-2 (EC no) 226-806-4	2.0925 - 8.8425	Acute Tox. 4 (Oral), H302
Benzyl acetate	(CAS No) 140-11-4 (EC no) 205-399-7	1.705 - 7.205	Aquatic Chronic 3, H412
Geraniol	(CAS No) 106-24-1 (EC no) 203-377-1	0.6521 - 2.762	Eye Dam. 1, H318 Skin Irrit. 2, H315 Skin Sens. 1, H317
Methyl cinnamate	(CAS No) 103-26-4 (EC no) 203-093-8	0.527 - 2.227	Skin Sens. 1B, H317
Citral pure	(CAS No) 5392-40-5 (EC no) 226-394-6 (EC index no) 605-019-00-3	0.169 - 1.69	Skin Irrit. 2, H315 Skin Sens. 1, H317
Citronellol pure	(CAS No) 106-22-9 (EC no) 203-375-0	0.3875 - 1.6375	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Aldehyde C-16	(CAS No) 77-83-8 (EC no) 201-061-8	0.3875 - 1.6375	Aquatic Chronic 2, H411 Skin Sens. 1B, H317
Isoamyl acetate substance with a Community workplace exposure limit	(CAS No) 123-92-2 (EC no) 204-662-3 (EC index no) 607-130-00-2	0.1 - 1	Flam. Liq. 3, H226
Triplal (Vertocitral)	(CAS No) 68039-49-6 (EC no) 268-264-1	0.1 - 1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
delta-Damascone	(CAS No) 57378-68-4 (EC no) 260-709-8	0.1 - 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Irrit. 2, H315 Skin Sens. 1A, H317
Dipentene	(CAS No) 138-86-3 (EC no) 205-341-0 (EC index no) 601-029-00-7	0.0123 - 0.123	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Allergen report available upon request. Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact	: May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dipentene (138-86-3)		
Estonia	OEL TWA (mg/m ³)	150 mg/m ³
Estonia	OEL TWA (ppm)	25 ppm
Estonia	OEL STEL (mg/m ³)	300 mg/m ³
Estonia	OEL STEL (ppm)	50 ppm
Dipentene (138-86-3)		
Lithuania	IPRV (mg/m ³)	150 mg/m ³
Lithuania	IPRV (ppm)	25 ppm
Lithuania	TPRV (mg/m ³)	300 mg/m ³
Lithuania	TPRV (ppm)	50 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	150 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	25 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	300 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	50 ppm
Norway	TWA (AN) (mg/m ³)	140 mg/m ³
Norway	TWA (AN) (ppm)	25 ppm
Norway	TWA (Korttidsverdi) (mg/m ³)	175 mg/m ³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)

Isoamyl acetate (123-92-2)		
EU	IOELV TWA (mg/m ³)	270 mg/m ³
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (mg/m ³)	540 mg/m ³
EU	IOELV STEL (ppm)	100 ppm
Austria	MAK (mg/m ³)	270 mg/m ³
Austria	MAK (ppm)	50 ppm
Austria	MAK Short time value (mg/m ³)	540 mg/m ³
Austria	MAK Short time value (ppm)	100 ppm

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



Belgium	Limit value (mg/m³)	270 mg/m³
Belgium	Limit value (ppm)	50 ppm
Belgium	Short time value (mg/m³)	540 mg/m³
Belgium	Short time value (ppm)	100 ppm
Bulgaria	OEL TWA (mg/m³)	270 mg/m³
Bulgaria	OEL TWA (ppm)	50 ppm
Bulgaria	OEL STEL (mg/m³)	540 mg/m³
Bulgaria	OEL STEL (ppm)	100 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	270 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	50 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	540 mg/m³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm
Cyprus	OEL TWA (mg/m³)	270 mg/m³
Cyprus	OEL TWA (ppm)	50 ppm
Cyprus	OEL STEL (mg/m³)	540 mg/m³
Cyprus	OEL STEL (ppm)	100 ppm
Denmark	Limit (long-term) (mg/m³)	271 mg/m³
Denmark	Limit (long-term) (ppm)	50 ppm
Estonia	OEL TWA (mg/m³)	270 mg/m³
Estonia	OEL TWA (ppm)	50 ppm
Estonia	OEL STEL (mg/m³)	540 mg/m³
Estonia	OEL STEL (ppm)	100 ppm
Finland	HTP-arvo (8h) (mg/m³)	270 mg/m³
Finland	HTP-arvo (8h) (ppm)	50 ppm
Finland	HTP-arvo (15 min)	540 mg/m³
Finland	HTP-arvo (15 min) (ppm)	100 ppm
France	VME (mg/m³)	270 mg/m³ (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
France	VLE (mg/m³)	540 mg/m³ (restrictive limit)
France	VLE (ppm)	100 ppm (restrictive limit)
Isoamyl acetate (123-92-2)		
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	270 mg/m³
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm
Gibraltar	OEL TWA (mg/m³)	270 mg/m³
Gibraltar	OEL TWA (ppm)	50 ppm
Gibraltar	OEL STEL (mg/m³)	540 mg/m³
Gibraltar	OEL STEL (ppm)	100 ppm
Greece	OEL TWA (mg/m³)	530 mg/m³
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m³)	800 mg/m³
Greece	OEL STEL (ppm)	150 ppm
Hungary	Exposure Limit Value	270 mg/m³
Hungary	CK-érték	540 mg/m³

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



Ireland	OEL (8 hours ref) (mg/m ³)	260 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m ³)	520 mg/m ³
Ireland	OEL (15 min ref) (ppm)	100 ppm
Italy	OEL TWA (mg/m ³)	270 mg/m ³
Italy	OEL TWA (ppm)	50 ppm
Italy	OEL STEL (mg/m ³)	540 mg/m ³
Italy	OEL STEL (ppm)	100 ppm
Latvia	OEL TWA (mg/m ³)	270 mg/m ³
Latvia	OEL TWA (ppm)	50 ppm
Lithuania	IPRV (mg/m ³)	270 mg/m ³
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m ³)	540 mg/m ³
Lithuania	TPRV (ppm)	100 ppm
Luxembourg	OEL TWA (mg/m ³)	270 mg/m ³
Luxembourg	OEL TWA (ppm)	50 ppm
Luxembourg	OEL STEL (mg/m ³)	540 mg/m ³
Luxembourg	OEL STEL (ppm)	100 ppm
Malta	OEL TWA (mg/m ³)	270 mg/m ³
Malta	OEL TWA (ppm)	50 ppm
Malta	OEL STEL (mg/m ³)	540 mg/m ³
Malta	OEL STEL (ppm)	100 ppm
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	530 mg/m ³
Poland	NDS (mg/m ³)	250 mg/m ³
Poland	NDSch (mg/m ³)	500 mg/m ³
Portugal	OEL TWA (mg/m ³)	270 mg/m ³ (indicative limit value)
Portugal	OEL TWA (ppm)	50 ppm (indicative limit value)
Portugal	OEL STEL (mg/m ³)	540 mg/m ³ (indicative limit value)
Portugal	OEL STEL (ppm)	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)
Romania	OEL TWA (mg/m ³)	270 mg/m ³
Romania	OEL TWA (ppm)	50 ppm
Romania	OEL STEL (mg/m ³)	540 mg/m ³
Romania	OEL STEL (ppm)	100 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	270 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	50 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	540 mg/m ³
Slovenia	OEL TWA (mg/m ³)	270 mg/m ³
Slovenia	OEL TWA (ppm)	50 ppm
Slovenia	OEL STEL (mg/m ³)	540 mg/m ³

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



Isoamyl acetate (123-92-2)		
Slovenia	OEL STEL (ppm)	100 ppm
Spain	VLA-ED (mg/m ³)	270 mg/m ³ (indicative limit value)
Spain	VLA-ED (ppm)	50 ppm (indicative limit value)
Spain	VLA-EC (mg/m ³)	540 mg/m ³
Spain	VLA-EC (ppm)	100 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	270 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	540 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	100 ppm
Norway	TWA (AN) (mg/m ³)	260 mg/m ³
Norway	TWA (AN) (ppm)	50 ppm
Norway	TWA (Kortidsverdi) (mg/m ³)	325 mg/m ³ (value calculated)
Norway	TWA (Kortidsverdi) (ppm)	75 ppm (value calculated)
Australia	TWA (mg/m ³)	270 mg/m ³
Australia	TWA (ppm)	50 ppm
Australia	STEL (mg/m ³)	541 mg/m ³
Australia	STEL (ppm)	100 ppm
Canada (Quebec)	VECD (mg/m ³)	532 mg/m ³
Canada (Quebec)	VECD (ppm)	100 ppm
Canada (Quebec)	VEMP (mg/m ³)	266 mg/m ³
Canada (Quebec)	VEMP (ppm)	50 ppm
USA - ACGIH	ACGIH TWA (ppm)	50 ppm
USA - ACGIH	ACGIH STEL (ppm)	100 ppm
USA - IDLH	US IDLH (ppm)	1000 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	525 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	525 mg/m ³
USA - OSHA	OSHA PEL (TWA) (ppm)	100 ppm

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



Benzyl acetate (140-11-4)		
Belgium	Limit value (mg/m³)	62 mg/m³
Belgium	Limit value (ppm)	10 ppm
Denmark	Limit (long-term) (mg/m³)	61 mg/m³
Denmark	Limit (long-term) (ppm)	10 ppm
Latvia	OEL TWA (mg/m³)	5 mg/m³
Lithuania	IPRV (mg/m³)	5 mg/m³
Portugal	OEL TWA (ppm)	10 ppm
Romania	OEL TWA (mg/m³)	50 mg/m³
Romania	OEL TWA (ppm)	8 ppm
Romania	OEL STEL (mg/m³)	80 mg/m³
Romania	OEL STEL (ppm)	13 ppm
Spain	VLA-ED (mg/m³)	62 mg/m³
Spain	VLA-ED (ppm)	10 ppm
USA - ACGIH	ACGIH TWA (ppm)	10 ppm
Citral pure (5392-40-5)		
Poland	NDS (mg/m³)	27 mg/m³
Poland	NDSch (mg/m³)	54 mg/m³
Spain	VLA-ED (ppm)	5 ppm (inhalable fraction and vapor)
USA - ACGIH	ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
Benzyl benzoate (120-51-4)		
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	<=

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: light yellow. amber.
Odor	: Fruity.
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



Flash point	: 74.7 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: ≈ 1.12
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	873.258 mg/kg body weight
----------------	---------------------------

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3082

UN-No. (IMDG) : 3082

UN-No. (IATA) : 3082

UN-No. (ADN) : 3082

UN-No. (RID) : 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·




Hazard labels (ADR)

: 9

:

:



IMDG

Transport hazard class(es) (IMDG)

: 9

Hazard labels (IMDG)

: 9

:

:



IATA

Transport hazard class(es) (IATA)

: 9

Hazard labels (IATA)

: 9

:

:



ADN

Transport hazard class(es) (ADN)

: 9

Hazard labels (ADN)

: 9

:

:



RID

Transport hazard class(es) (RID)


: 9

Hazard labels (RID)

: 9

:

:



14.4. Packing group

Packing group (ADR)

: III

Packing group (IMDG)

: III

Packing group (IATA)

: III

Packing group (ADN)

: III

Packing group (RID)

: III

14.5. Environmental hazards

Dangerous for the environment

: Yes

Marine pollutant

: Yes

Other information

: No supplementary information available

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport
- Classification code (ADR) : M6
- Special provision (ADR) : 274, 335, 601, 375
- Limited quantities (ADR) : 5l
- Excepted quantities (ADR) : E1
- Packing instructions (ADR) : P001, IBC03, LP01, R001
- Special packing provisions (ADR) : PP1
- Mixed packing provisions (ADR) : MP19
- Portable tank and bulk container instructions (ADR) : T4
- Portable tank and bulk container special provisions (ADR) : TP1, TP29
- Tank code (ADR) : LGBV
- Vehicle for tank carriage : AT
- Transport category (ADR) : 3
- Special provisions for carriage - Packages (ADR) : V12
- Special provisions for carriage - Loading, unloading and handling (ADR) : CV13
- Hazard identification number (Kemler No.) : 90



- Orange plates :
- Tunnel restriction code (ADR) : E
- EAC : •3Z

- Transport by sea

- Special provision (IMDG) : 274, 335, 969
- Limited quantities (IMDG) : 5 L
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : P001, LP01
- Packing provisions (IMDG) : PP1
- IBC packing instructions (IMDG) : IBC03
- Tank instructions (IMDG) : T4
- Tank special provisions (IMDG) : TP2, TP29
- EmS-No. (Fire) : F-A
- EmS-No. (Spillage) : S-F
- Stowage category (IMDG) : A

- Air transport

- PCA Excepted quantities (IATA) : E1
- PCA Limited quantities (IATA) : Y964
- PCA limited quantity max net quantity (IATA) : 30kgG
- PCA packing instructions (IATA) : 964
- PCA max net quantity (IATA) : 450L
- CAO packing instructions (IATA) : 964
- CAO max net quantity (IATA) : 450L
- Special provision (IATA) : A97, A158, A197

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M6
Special provision (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M6
Special provision (RID) : 274, 335, 375, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1, TP29
Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Isoamyl acetate - Citral pure - Dipentene - Benzyl benzoate
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Isoamyl acetate - Dipentene

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

· SFC ·



3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Tropical #27954F - Citral pure - Citronellol pure - Triplal (Vertocitral) - Geraniol - delta-Damascone - Dipentene - Aldehyde C-16 - Benzyl benzoate
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Tropical #27954F - Benzyl acetate - Triplal (Vertocitral) - deltaDamascone - Dipentene - Aldehyde C-16 - Benzyl benzoate
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Isoamyl acetate - Dipentene

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Triplal (Vertocitral) is listed
 SZW-lijst van mutagene stoffen : Triplal (Vertocitral) is listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1
 Store unit : 50 liter
 Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
 Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1

FRAG0146 - Tropical Fragrance Oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1A	Skin sensitization Category 1A
Skin Sens. 1B	Skin sensitization Category 1B
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

The data contained in this Material Safety Data Sheet is accurate to the best knowledge of French Color & Fragrance Co., applies to the product as supplied by Supplies for Candles Ltd & The Soap Kitchen Ltd. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Supplies for Candles Ltd & The Soap Kitchen Ltd. assume responsibility for use or reliance upon this data.