



Emulsifying Wax TSK-BUT024

Information

1. Identification of the Substance/Preparation and the Company/Undertaking

1.1 Product identifier:

Product name:	Emulsifying Wax TSK-BUT024
REACH registered name:	Not Determined
REACH registered No:	Not Determined
CAS Number:	Not Determined

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Pharmaceutical applications. SU8 SU9

PROC 2 / 3 / 4 / 5 / 7 / 8a / 8b / 13 / 14 / 15 / 17 / 21 / 24

1.3 Details of the supplier of the safety data sheet:

Supplies for Candles & The Soap Kitchen Ltd
Unit E Swinton Bridge Industrial Estate,
White Lea Road, Swinton
South Yorkshire
S64 8BH, UK
Office Hours: Mon to Fri 08.00 to 16.00

1.4 Emergency telephone number: TEL: 01709 257151

Email address: customerservice@suppliesforcandles.co.uk

2. Hazards Identification

2.1 Classification of the Substance or Mixture: CLP Regulation 1272/2008/EC

Classification under CLP Regulation – Eye Irrit 2: H319; Skin Irrit 2: H315

2.2 Label Elements:

Hazard: Statements: H315: Causes skin irritation.
H319: Causes serious eye irritation.

Signal Word: Warning

Hazard Pictogram: GHS07



Precautionary statements:

- P264: Wash hands thoroughly after handling.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P332 + P313: If skin irritation occurs: Get medical advice/attention.

2.3 Other Hazards:

- **PBT:** This product is not identified as a PBT / vPvB substance
- Hot liquid may cause thermal burns.
- May cause irritation of respiratory tract.
- May cause irritation of the mucous membranes.

3. Composition

3.1 Substances: Not Applicable

3.2 Mixtures: A blend of fatty alcohols and Sodium Lauryl Sulphate.

CAS-No:	Substance Name	%	EC Number	CLP Classification	REACH Reg No
68955-19-1	SULFURIC ACID,C12-18-ALKYL (EVEN NUMBERED) ESTERS, SODIUM SALTS	1-10	273-257-1	Eye Dam 1: H318 Skin Irrit 2: H315 Aquatic Chronic 3: H412	01-2119490225-39

There are no additional ingredients present which, within current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section in accordance with Regulation (EC) No. 1272/2008

4. First aid measures

4.1 Description of First Aid Measures

General Information: Remove contaminated / saturated clothing immediately. In case of accident or illness seek medical advice immediately.

Inhalation: Remove the affected person to fresh air, keep warm and rest. If recovery is not rapid, obtain medical attention

Skin Contact: Wash the affected parts of the body with soap and water. No emergency measures are necessary but if adverse skin effects follow, refer for medical attention.

Eye Contact: Flush eyes immediately with fresh water for at least 5 minutes while holding the eyelids open. No emergency measures are necessary but if adverse eye effects follow, refer for medical attention.

Ingestion: Do not induce vomiting. No emergency measures are needed but if adverse health effects follow or large amounts are swallowed, refer for medical attention.

Self-Protection of First Aider: First aider, pay attention to self-protection.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.

Skin Contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Eye Contact: There may be pain and redness. The vision may become blurred. The eyes may water profusely. There may be severe pain. May cause permanent damage.

4.3 Indication of any immediate medical attention and special treatment needed

In contact with or splashed by hot liquid:

Skin Contact Cool the skin immediately with cool water. Treat burns according to their severity. Obtain medical attention. Never try to remove the material with solvents.

Contact with eyes Cool the area immediately with cold water. Seek advice of an ophthalmologist.

Specific Treatment: First Aider, decontamination, treatment of symptoms.

Notes to doctor: Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media: Foam, dry chemical, carbon dioxide, water mist.

5.2 Special hazards arising from the substance or mixture: Slight flammability hazard when exposed to heat or flame. During a fire, toxic gases (carbon monoxide, nitrous gases) may be generated by thermal decomposition or combustion.

5.3 Advice for firefighters: Only suitably trained personnel should attempt to tackle fires. Do not stay in the danger zone without respiratory protective equipment and protective clothing.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Surfaces may become slippery after spillage.

6.2 Environmental precautions: Water may be used to flush spills away from sources of ignition. Do not allow the product to enter public drainage system or open water courses.

6.3 Methods and material for containment and cleaning up: Use Sand or active clay to absorb spilled substance and remove to containers for disposal

6.4 Reference to other Sections: See sections 8 and 13

7. Handling and storage

7.1 Precautions for safe handling: Avoid skin contact. Avoid inhalation of vapour, mist or fumes. Do not wear contaminated clothing. Avoid contact with the eyes – wear chemical protective goggles when handling the product. Protective clothing such as impervious gloves should be worn if skin contact is anticipated. Protective clothing should be regularly inspected and maintained, discard oil saturated leather articles. The use of barrier and after work creams may be beneficial. Wash hands after working with the material.

7.2 Conditions for safe storage, including any incompatibilities: Keep containers tightly closed. Avoid heat and sources of ignition. Store in original containers or in other mild steel or high density polyethylene containers which are closable and clearly labelled. Clean up any spilled material immediately

7.3 Specific end use(s): This material is formulated for various uses.

8. Exposure Controls/Personal Protection

8.1 Control Parameters: Oil mist < 2mg/m³. In all circumstances exposure should be kept as low as reasonably possible by good ventilation and safe working practices.

DNEL / PNEC Values: - Hazardous Ingredients - SULFURIC ACID,C12-18-ALKYL (EVEN NUMBERED) ESTERS SODIUM SALTS - CAS No 68955-19-1

Type	Exposure	Value	Population	Effect
DNEL	Dermal	4060mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	285 mg/m3	Workers	Systemic
DNEL	Dermal	2440mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation	85mg/m3	Consumers	Systemic
DNEL	Oral	24mg/kg bw/day	Consumers	Systemic
PNEC	Fresh Water	0.098mg/l	-	-
PNEC	Marine Water	0.0098mg/l	-	-
PNEC	Microorganisms in sewage treatment	6.8mg/kg	-	-
PNEC	Fresh Water Sediment	0.345mg/kg	-	-
PNEC	Fresh Water Sediment	3.45mg/kg	-	-
PNEC	Soil [agricultural]	0.631mg/kg	-	-

8.2 Exposure Controls:

Appropriate engineering measures: Facilities storing or utilising this material should be equipped with an eyewash facility.

Respiratory protection: Inhalation of the vapour, fumes or mists should be avoided by safe working practices and good ventilation.

Eye protection: Wear appropriate eye goggles.

Skin protection: No special precautions are needed beyond clean working conditions and safe handling practices. Change heavily contaminated clothing.

Hand protection: Use impervious gloves [conforming to EN374] PVC is suitable for casual contact. If direct contact for more than 2 hours then Neoprene or nitrile gloves recommended.

8.3 Environmental Exposure Controls: See sections 6, 7, 12 and 13

9. Physical and Chemical Properties

9.1 Information on basic chemical and physical properties:

Appearance:	Liquid (at elevated temperature) Solid (at ambient temperature)
Odour:	Typical
Odour threshold:	Not determined
pH:	Neutral
Melting point/ Congealing point:	48-52°C
Boiling point/ range:	Initial boiling point >245 °C
Flash Point:	> 170 °C (ASTM D92, COC)
Evaporation Point:	Not determined
Flammability (solid, gas):	May be combustible at high temperature
Explosion Limits:	Not determined
Vapour pressure:	<0.01hPa 20°C
Vapour density:	Not determined
Relative density (at 15°C):	0.83 – 0.86
Solubility in water:	<1 mg/l
Solubility in other solvents:	Petroleum Ether, Ethyl Acetate
Partition coefficient n-octanol/water:	Not determined
Auto-ignition temperature:	>230 °C
Decomposition temperature:	Not determined
Viscosity (Kinematic, at 100°C):	4.7 cst
Explosive properties:	Not determined
Oxidizing properties:	Not determined

9.2 Other Information: None

10. Stability and Reactivity

10.1 Reactivity: This product is not reactive under normal storage and handling conditions (see section 7).

10.2 Chemical stability: Under normal storage and handling conditions, this product is stable. May react with strong oxidising agents, especially at high temperatures.

10.3 Possibility of hazardous reactions: No specific hazardous reactions are expected to occur.

10.4 Conditions to avoid: Extremes of temperature (preferably, store between 5 & 39 °C).

10.5 Incompatible materials: May react with strong oxidants (e.g. chlorates, peroxides).

10.6 Hazardous decomposition products: Thermal decomposition or incomplete combustion may produce carbon monoxide, nitrous gases and irritating fumes.

11. Toxicological Information

11.1 Information on toxicological effects – Hazardous Ingredient SULFURIC ACID,C12-18-ALKYL (EVEN NUMBERED) ESTERS, SODIUM SALTS – CAS No 68955-19-1

Acute Toxicity

Acute Toxicity (oral)	LD50>2600mg/kg
Acute Toxicity (dermal)	LD50>2000mg/kg
Acute Toxicity (inhalation)	Not Determined

Skin Corrosive / Irritation:

There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact.

Serious Eye Damage Irritation:

There may be pain and redness. The vision may become blurred. The eyes may water profusely. There may be severe pain. May cause permanent damage.

Respiratory Sensitisation:

Not Determined

Skin Sensitisation:

Not Determined

Repeated Dose Toxicity:

Not Determined

Mutagenicity:

Not Determined

Carcinogenicity:

Not Determined

Reproductive Toxicity:

Not Determined

12. Ecological Information

12.1 Toxicity: - Hazardous Ingredient SULFURIC ACID,C12-18-ALKYL (EVEN NUMBERED) ESTERS, SODIUM SALTS – CAS No 68955-19-1

Environmental Fate	Not Determined
Aquatic toxicity (fish):	96Hr LC50 – 17mg/l
Aquatic toxicity (algae):	72Hr ErC50 – 20mg/l
Aquatic toxicity (invertebrate):	48Hr EC50 – 15/mg/l [Daphnia Magna]
Mobility:	Soluble in Water
Biodegradation:	Readily Biodegradable.
Bioaccumulation potential:	Not determined
Other Ecological information:	None

Results of PBT and vPvB assessment: This substance does not fulfil the criteria for being classed as a PBT or vPvB substance.

13 Disposal Considerations

13.1 Waste treatment methods: Transport to authorised waste location, or incinerate under controlled conditions (EU Directives 2000/76/EC and 1999/31EC apply). European Waste Catalogue No. 050199/130899.

14. Transport Information

- 14.1 UN number:** Not Classified.
- 14.2 UN Proper shipping name:** Not Classified
- 14.3 Transport Hazard Class(es):** Not Classified
- 14.4 Packing Group:** Not Classified

Date Prepared: 20APR15

Date Revised: 29APR20

Version: 4.0

14.5 Environmental Hazards: None

14.6 Special Precautions for user: None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not Classified

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation [EC] 1272/2008

Regulation [EC] 1907/2006

Regulation [EC] 453/2010

15.2 Chemical Safety Assessment: The supplier has not performed a chemical safety assessment of this substance.

16. Other Information

Indication of changes:

V1.0

All sections revised according to Regulation [EC] No 1272/2008 [CLP] in preparation for the 1 June 2015 deadline.

V2.0

- 2.2 Label Elements: H318 – Replaced with H319 / H412 referenced removed
- Section 11 – Hazardous Ingredient clarified
- Section 12 – Hazardous Ingredient clarified

V3.0

- 2.2 – Hazard Pictogram GHS05 replaced with GHS07
- 2.2 – Precautionary Statements revised
- 3.2 – CLP classification column added

V4.0

- General review of document.

Key to the H-codes contained in section 3 of this document (for information only):

- Eye Irrit 2: H319 – causes serious eye irritation
- Skin Irrit 2: H315 – causes skin irritation
- Aquatic Chronic 3: H412 – Harmful to aquatic life with long lasting effects

Abbreviations & Acronyms

PNEC	Predicted No Effect Level
DNEL	Derived No Effect Level
LD50	Median Lethal Dose
LC50	Median Lethal Concentration
CAS No	Chemical Abstract Services number
CLP	Classification Labelling and Packaging Regulation
ES	Exposure Scenario
EC	European Commission
EC No	European Chemical Number – EINECS - ELINCS
ECHA	European Chemical Agency
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances.
OECD	Organisation for Economic Cooperation and Development
DSD	Dangerous Substances Directive.
PBT	Persistent Bio accumulative Toxic
vPvB	very Persistent very Bio accumulative
STOT	Specific Target Organ Toxicity
IECSC	Inventory of Existing Chemical Substances in China
KECI	Korean Existing Chemicals Inventory
NDSL	Non-Domestic Substances List (Canada)
NZLoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
TSCA	Toxic Substances Control Act (U.S. inventory)
TLV	Threshold Limit Value (American Conference of Governmental Industrial Hygienists)

DISCLAIMER:

The information and recommendations contained herein are, to the best of Kerax Limited's knowledge and belief, accurate and reliable as of the date issued, but is offered without guarantee or warranty. They relate to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Conditions of use of the material are under the control of the user. Therefore, it is the user's responsibility to satisfy their self as to the suitability and completeness of such information for their own particular use.